Neuroscience Letters, 207 (1996) 214–216
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abe, T., see Tohgi, H., 5
Agnati, L.F., see Zoli, M., 13
Akasu, T., see Tokimasa, T., 97
Althuber, P., see Legat, F.J., 125
Amar, M., seeBeeson, D., 57
Amenta, F., see Barbanti, P., 73
Anderson, P.N., see Begbie, J.L., 183
Armstrong, R.A., Cairns, N.J., Patel, R., Lantos, P.L., Rossor, M.N., Relationships between β-amyloid ($A\beta$) deposits and blood vessels in patients with sporadic and familial Alzheimer's disease, 171

Barbanti, P., Bronzetti, E., Ricci, A., Cerbo, R., Fabbrini, G., Buzzi, M.G., Amenta, F., Lenzi, G.L., Increased density of dopamine D_5 receptor in peripheral blood lymphocytes of migraineurs: a marker for migraine? 73
Barber, K., Mala, R.R., Lambert, M.P., Qiu, R., MacDonald, R.C., Klein, W.L., Delivery of membrane-impermeant fluorescent probes into living neural cell populations by lipotransfer, 17
Barnes, T., see Prabhakar, E., 203
Baron, P., see Conti, A.M., 65
Beal, M.F., see Mecocci, P., 129
Beeson, D., Amar, M., Bermudez, I., Vincent, A., Newsom-Davis, J., Stable functional expression of the adult subtype of human muscle acetylcholine receptor following transfection of the human rhabdomyosarcoma cell line TE671 with cDNA encoding the ε subunit, 57
Begbie, J.L., Wood, J.N., Anderson, P.N., Latchman, D.S., Specific up-regulation of the POU domain transcription factor Oct-2 following axotomy, 183
Bermudez, I., seeBeeson, D., 57
Biondi, C., see Ferretti, M.E., 191
Bloedel, J.R., see Timmann, D., 133
Bronzetti, E., see Barbanti, P., 73
Brown, G.M., see Meyer, J.H., 25
Buzzi, M., see Ferretti, M.E., 191
Buzzi, M.G., see Barbanti, P., 73

Cairns, N.J., see Armstrong, R.A., 171
Cajochen, C., Kräuchi, K., von Arx, M.-A., Möri, D., Graw, P., Wirz-Justice, A., Daytime melatonin administration enhances sleepiness and theta/alpha activity in the waking EEG, 209
Cecchetti, R., see Mecocci, P., 129
Cerbo, R., see Barbanti, P., 73
Cherubini, A., see Mecocci, P., 129
Chionne, F., see Mecocci, P., 129
Colamussi, M.L., see Ferretti, M.E., 191
Colvin, L.A., Mark, M.A., Duggan, A.W., Bilaterally enhanced dorsal horn postsynaptic currents in a rat model of peripheral mononeuropathy, 29
Comella, J.X., see Iglesias, M., 81
Conti, A.M., Scarpini, E., Malosio, M.L., Di Giulio, A.M., Baron, P., Scarlato, G., Mantegazza, P., Gorio, A., In situ hybridization study of myelin protein mRNA in rats with an experimental diabetic neuropathy, 65
Cuevas, P., Prieto, R., de Tejada, I.S., Giménez-Gallego, G., Analgesic effects of fibroblast growth factor in the rat, 175
Cui, X., see Guo, H.-F., 163

Dalil-Thiney, N., Versaux-Botteri, C., Nguyen-Legros, J., Electron microscopic demonstration of tyrosine hydroxylase-immunoreactive interplexiform cells in the lamprey retina, 159
DaSilva, J.N., see Meyer, J.H., 25
Davenport, P.W., see Webb, B., 147
Davies, P., see Scott, J.J.A., 179
de Tejada, I.S., see Cuevas, P., 175
Di Giulio, A.M., see Conti, A.M., 65
Dorlöchter, M., see Wernig, A., 41
Duggan, A.W., see Colvin, L.A., 29
Dunbar, S., Yaksh, T.L., Effect of spinal infusion of L-NAME, a nitric oxide synthase inhibitor, on spinal tolerance and dependence induced by chronic intrathecal morphine in the rat, 33

Endoh, M., Ueki, A., Takahashi, K., Yamanaka, H., Izumi, S., Tabira, T., Significantly increased frequency of the apolipoprotein E ε4 allele in elderly non-demented leprosy patients, 206
Esquerda, J.E., see Iglesias, M., 81
Eustache, I., see Guéritaud, J.P., 85

Fabbrini, G., see Barbanti, P., 73
Ferretti, M.E., Sonetti, D., Pareschi, M.C., Buzzi, M., Colamussi, M.L., Biondi, C., MDL 12330A inhibits the non-neuronal adenylyl cyclase from the freshwater snail *Planorbarius corneus*, but the neuronal enzyme is activated by this compound, 191
Frisancho, J.C., see Raphael, Y., 137

Galik, J., Marsala, M., Yaksh, T.L, Changes in spontaneous unit activity in lumbar spinal cord after reversible aortic occlusion in the rat, 45
Gillardon, F., Lenz, C., Kuschinsky, W., Zimmermann, M., Evidence for apoptotic cell death in the choroid plexus following focal cerebral ischemia, 113
Giménez-Gallego, G., see Cuevas, P., 175
Gorio, A., see Conti, A.M., 65
Grass, K., Prast, H., Philippu, A., Influence of mediobasal hypothalamic lesion and catecholamine receptor antagonists on ultradian rhythm of EEG in the posterior hypothalamus of the rat, 93
Graw, P., see Cajochen, C., 209
Griesbacher, T., see Legat, F.J., 125
Guéritaud, J.P., Eustache, I., Launey, T., Seyfritz, N., Innervation of rat brainstem motoneurones in organotypic culture from a co-cultured sensory explant, 85
Guo, H.-F., Cui, X., Hou, Y., Tian, J., Wang, X., Han, J., C-Fos proteins are not involved in the activation of preproenkephalin gene expression in rat brain by peripheral electric stimulation (electroacupuncture), 163

Han, J., see Guo, H.-F., 163
Hayashi, T., see Suzuki, Y., 105
Higashima, M., Kinoshita, H., Yamaguchi, N., Koshino, Y., Activation of GABAergic function necessary for afterdischarge generation in rat hippocampal slices, 101
Hisa, Y., see Tanaka, M., 53
Hou, Y., see Guo, H.-F., 163
Houle, S., see Meyer, J.H., 25
Hutchison, A.A., see Webb, B., 147

Ibata, Y., see Tanaka, M., 53
Iglesias, M., Soler, R.M., Ribera, J., Esquerda, J.E., Comella, J.X., The

Neuroscience Letters, 207 (1996) 214–216
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abe, T., see Tohgi, H., 5
Agnati, L.F., see Zoli, M., 13
Akasu, T., see Tokimasa, T., 97
Althuber, P., see Legat, F.J., 125
Amar, M., seeBeeson, D., 57
Amenta, F., see Barbanti, P., 73
Anderson, P.N., see Begbie, J.L., 183
Armstrong, R.A., Cairns, N.J., Patel, R., Lantos, P.L., Rossor, M.N., Relationships between β-amyloid ($A\beta$) deposits and blood vessels in patients with sporadic and familial Alzheimer's disease, 171

Barbanti, P., Bronzetti, E., Ricci, A., Cerbo, R., Fabbrini, G., Buzzi, M.G., Amenta, F., Lenzi, G.L., Increased density of dopamine D_5 receptor in peripheral blood lymphocytes of migraineurs: a marker for migraine? 73
Barber, K., Mala, R.R., Lambert, M.P., Qiu, R., MacDonald, R.C., Klein, W.L., Delivery of membrane-impermeant fluorescent probes into living neural cell populations by lipotransfer, 17
Barnes, T., see Prabhakar, E., 203
Baron, P., see Conti, A.M., 65
Beal, M.F., see Mecocci, P., 129
Beeson, D., Amar, M., Bermudez, I., Vincent, A., Newsom-Davis, J., Stable functional expression of the adult subtype of human muscle acetylcholine receptor following transfection of the human rhabdomyosarcoma cell line TE671 with cDNA encoding the ε subunit, 57
Begbie, J.L., Wood, J.N., Anderson, P.N., Latchman, D.S., Specific up-regulation of the POU domain transcription factor Oct-2 following axotomy, 183
Bermudez, I., seeBeeson, D., 57
Biondi, C., see Ferretti, M.E., 191
Bloedel, J.R., see Timmann, D., 133
Bronzetti, E., see Barbanti, P., 73
Brown, G.M., see Meyer, J.H., 25
Buzzi, M., see Ferretti, M.E., 191
Buzzi, M.G., see Barbanti, P., 73

Cairns, N.J., see Armstrong, R.A., 171
Cajochen, C., Kräuchi, K., von Arx, M.-A., Möri, D., Graw, P., Wirz-Justice, A., Daytime melatonin administration enhances sleepiness and theta/alpha activity in the waking EEG, 209
Cecchetti, R., see Mecocci, P., 129
Cerbo, R., see Barbanti, P., 73
Cherubini, A., see Mecocci, P., 129
Chionne, F., see Mecocci, P., 129
Colamussi, M.L., see Ferretti, M.E., 191
Colvin, L.A., Mark, M.A., Duggan, A.W., Bilaterally enhanced dorsal horn postsynaptic currents in a rat model of peripheral mononeuropathy, 29
Comella, J.X., see Iglesias, M., 81
Conti, A.M., Scarpini, E., Malosio, M.L., Di Giulio, A.M., Baron, P., Scarlato, G., Mantegazza, P., Gorio, A., In situ hybridization study of myelin protein mRNA in rats with an experimental diabetic neuropathy, 65
Cuevas, P., Prieto, R., de Tejada, I.S., Giménez-Gallego, G., Analgesic effects of fibroblast growth factor in the rat, 175
Cui, X., see Guo, H.-F., 163

Dalil-Thiney, N., Versaux-Botteri, C., Nguyen-Legros, J., Electron microscopic demonstration of tyrosine hydroxylase-immunoreactive interplexiform cells in the lamprey retina, 159
DaSilva, J.N., see Meyer, J.H., 25
Davenport, P.W., see Webb, B., 147
Davies, P., see Scott, J.J.A., 179
de Tejada, I.S., see Cuevas, P., 175
Di Giulio, A.M., see Conti, A.M., 65
Dorlöchter, M., see Wernig, A., 41
Duggan, A.W., see Colvin, L.A., 29
Dunbar, S., Yaksh, T.L., Effect of spinal infusion of L-NAME, a nitric oxide synthase inhibitor, on spinal tolerance and dependence induced by chronic intrathecal morphine in the rat, 33

Endoh, M., Ueki, A., Takahashi, K., Yamanaka, H., Izumi, S., Tabira, T., Significantly increased frequency of the apolipoprotein E ε4 allele in elderly non-demented leprosy patients, 206
Esquerda, J.E., see Iglesias, M., 81
Eustache, I., see Guéritaud, J.P., 85

Fabbrini, G., see Barbanti, P., 73
Ferretti, M.E., Sonetti, D., Pareschi, M.C., Buzzi, M., Colamussi, M.L., Biondi, C., MDL 12330A inhibits the non-neuronal adenylyl cyclase from the freshwater snail *Planorbarius corneus*, but the neuronal enzyme is activated by this compound, 191
Frisancho, J.C., see Raphael, Y., 137

Galik, J., Marsala, M., Yaksh, T.L, Changes in spontaneous unit activity in lumbar spinal cord after reversible aortic occlusion in the rat, 45
Gillardon, F., Lenz, C., Kuschinsky, W., Zimmermann, M., Evidence for apoptotic cell death in the choroid plexus following focal cerebral ischemia, 113
Giménez-Gallego, G., see Cuevas, P., 175
Gorio, A., see Conti, A.M., 65
Grass, K., Prast, H., Philippu, A., Influence of mediobasal hypothalamic lesion and catecholamine receptor antagonists on ultradian rhythm of EEG in the posterior hypothalamus of the rat, 93
Graw, P., see Cajochen, C., 209
Griesbacher, T., see Legat, F.J., 125
Guéritaud, J.P., Eustache, I., Launey, T., Seyfritz, N., Innervation of rat brainstem motoneurones in organotypic culture from a co-cultured sensory explant, 85
Guo, H.-F., Cui, X., Hou, Y., Tian, J., Wang, X., Han, J., C-Fos proteins are not involved in the activation of preproenkephalin gene expression in rat brain by peripheral electric stimulation (electroacupuncture), 163

Han, J., see Guo, H.-F., 163
Hayashi, T., see Suzuki, Y., 105
Higashima, M., Kinoshita, H., Yamaguchi, N., Koshino, Y., Activation of GABAergic function necessary for afterdischarge generation in rat hippocampal slices, 101
Hisa, Y., see Tanaka, M., 53
Hou, Y., see Guo, H.-F., 163
Houle, S., see Meyer, J.H., 25
Hutchison, A.A., see Webb, B., 147

Ibata, Y., see Tanaka, M., 53
Iglesias, M., Soler, R.M., Ribera, J., Esquerda, J.E., Comella, J.X., The

carbohydrate *N*-acetylglucosamine is involved in the guidance of neurites from chick ciliary ganglion neurons through the extracellular matrix of rat skeletal muscle fiber, 81
Iguchi, A., see Suzuki, Y., 105
Ikari, H., see Suzuki, Y., 105
Inaba, T., see Tani, H., 1
Izumi, S., see Endoh, M., 206

Jin, G.-Z., see Wu, J., 155

Kamiya, H., see Yoshino, M., 70
Kapur, S., see Meyer, J.H., 25
Kim, I., see Ohno-Shosaku, T., 195
Kinoshita, A., Ohishi, H., Neki, A., Nomura, S., Shigemoto, R., Takada, M., Nakanishi, S., Mizuno, N., Presynaptic localization of a metabotropic glutamate receptor, mGluR8, in the rhinencephalic areas: a light and electron microscope study in the rat, 61
Kinoshita, A., Ohishi, H., Nomura, S., Shigemoto, R., Nakanishi, S., Mizuno, N., Presynaptic localization of a metabotropic glutamate receptor, mGluR4a, in the cerebellar cortex: a light and electron microscope study in the rat, 199
Kinoshita, H., see Higashima, M., 101
Klein, W.L., see Barber, K., 17
Kocmur-Bobanović, L., Zorec, R., Nicardipine enantiomers inhibit calcium and outward currents in rat pars intermedia cells, 121
Koshino, Y., see Higashima, M., 101
Kräuchi, K., see Cajochen, C., 209
Kuschinsky, W., see Gillardon, F., 113

Lambert, M.P., see Barber, K., 17
Lantos, P.L., see Armstrong, R.A., 171
Latchman, D.S., see Begbie, J.L., 183
Launey, T., see Guéritaud, J.P., 85
Legat, F.J., Althuber, P., Maier, R., Griesbacher, T., Lembeck, F., Evidence for the presence of NK1 and NK3 receptors on cholinergic neurones in the guinea-pig ileum, 125
Lembeck, F., see Legat, F.J., 125
Lenz, C., see Gillardon, F., 113
Lenzi, G.L., see Barbanti, P., 73

MacDonald, R.C., see Barber, K., 17
Maier, R., see Legat, F.J., 125
Mala, R.R., see Barber, K., 17
Malmberg, A.B., see Zhang, Y., 187
Malosio, M.L., see Conti, A.M., 65
Mantegazza, P., see Conti, A.M., 65
Marchetti, C., Usai, C., High affinity block by nimodipine of the internal calcium elevation in chronically depolarized rat cerebellar granule neurons, 77
Mark, M.A., see Colvin, L.A., 29
Marsala, M., see Galik, J., 45
Maruta, E., see Yabuuchi, K., 109
Matsumoto, Y., see Tanaka, M., 53
Mecocci, P., Cherubini, A., Beal, M.F., Cecchetti, R., Chionne, F., Polidori, M.C., Romano, G., Senin, U., Altered mitochondrial membrane fluidity in AD brain, 129
Meissl, H., Yáñez, J., Diazepam increases melatonin secretion of photosensitive pineal organs of trout in the photopic and mesopic range of illumination, 37
Meyer, J.H., Kapur, S., Wilson, A.A., DaSilva, J.N., Houle, S., Brown, G.M., Neuromodulation of frontal and temporal cortex by intravenous *d*-fenfluramine: an $[^{15}O]H_2O$ PET study in humans, 25
Minami, M., see Yabuuchi, K., 109
Mizuno, N., see Kinoshita, A., 199
Mizuno, N., see Kinoshita, A., 61
Moore, S., Thanos, S., Differential increases in rat retinal ganglion cell size with various methods of optic nerve lesion, 117
Möri, D., Cajochen, see C., 209
Mori, J., see Tani, H., 1
Moshé, S.L., see Velíšek, L., 143
Murakami, T., see Tanaka, M., 53

Nakanishi, S., see Kinoshita, A., 199
Nakanishi, S., see Kinoshita, A., 61
Neki, A., see Kinoshita, A., 61
Newsom-Davis, J., seeBeeson, D., 57
Nguyen-Legros, J., see Dalil-Thiney, N., 159
Niemann, S., Schaller, H.C., Head-activator and the neuroectodermal differentiation of P19 mouse embryonal carcinoma cells, 49
Nomura, S., see Kinoshita, A., 199
Nomura, S., see Kinoshita, A., 61

O'Regan, M.H., see Phillis, J.W., 151
Ohishi, H., see Kinoshita, A., 199
Ohishi, H., see Kinoshita, A., 61
Ohno-Shosaku, T., Kim, I., Sawada, S., Yamamoto, C., Presence of the voltage-gated potassium channels sensitive to charybdotoxin in inhibitory presynaptic terminals of cultured rat hippocampal neurons, 195

Palazis, P., see Wernig, A., 41
Pan, E., Stringer, J.L., Influence of osmolality on seizure amplitude and propagation in the rat dentate gyrus, 9
Pareschi, M.C., see Ferretti, M.E., 191
Patel, R., see Armstrong, R.A., 171
Pedrazzi, P., see Zoli, M., 13
Petit, J., see Scott, J.J.A., 179
Philippu, A., see Grass, K., 93
Phillis, J.W., Song, D., O'Regan, M.H., Inhibition of tyrosine phosphorylation attenuates amino acid neurotransmitter release from the ischemic/reperfused rat cerebral cortex, 151
Polidori, M.C., see Mecocci, P., 129
Prabhakar, E., Barnes, T., Spruce, A.E., A neural influence on the appearance of sodium current in *Xenopus* embryonic myocytes, 203
Prast, H., see Grass, K., 93
Prieto, R., see Cuevas, P., 175

Qiu, R., see Barber, K., 17

Raphael, Y., Frisancho, J.C., Roessler, B.J., Adenoviral-mediated gene transfer into guinea pig cochlear cells in vivo, 137
Ren, T., Acoustic modulation of electrically evoked distortion product otoacoustic emissions in gerbil cochlea, 167
Ribera, J., see Iglesias, M., 81
Ricci, A., see Barbanti, P., 73
Roessler, B.J., see Raphael, Y., 137
Romano, G., see Mecocci, P., 129
Rossor, M.N., see Armstrong, R.A., 171

Saheki, M., see Tohgi, H., 5
Satoh, M., see Yabuuchi, K., 109

Sawada, S., see Ohno-Shosaku, T., 195
Sawada, S., see Yoshino, M., 70
Sawada, T., see Tani, H., 1
Scarlato, G., see Conti, A.M., 65
Scarpini, E., see Conti, A.M., 65
Schaller, H.C., see Niemann, S., 49
Schneider, C.R., see Tokimasa, T., 97
Scott, J.J.A., Petit, J., Davies, P., The dynamic response of feline Golgi tendon organs during recovery from nerve injury, 179
Senin, U., see Mecocci, P., 129
Seyfritz, N., see Guéritaud, J.P., 85
Shigemoto, R., see Kinoshita, A., 199
Shigemoto, R., see Kinoshita, A., 61
Simmons, M.A., see Tokimasa, T., 97
Sjölund, B., see Zhang, Y., 187
Soler, R.M., see Iglesias, M., 81
Sonetti, D., see Ferretti, M.E., 191
Song, D., see Phillis, J.W., 151
Spruce, A.E., see Prabhakar, E., 203
Stanton, P.K., see Velíšek, L., 143
Steinbusch, H.W.M., see Vos, P.E., 21
Stelmach, G.E., see Timmann, D., 133
Stringer, J.L., see Pan, E., 9
Suzuki, Y., Ikari, H., Hayashi, T., Iguchi, A., Central administration of a nitric oxide synthase inhibitor impairs spatial memory in spontaneous hypertensive rats, 105

Tabira, T., see Endoh, M., 206
Takada, M., see Kinoshita, A., 61
Takahashi, K., see Endoh, M., 206
Takahashi, S., see Tohgi, H., 5
Tamada, H., see Tani, H., 1
Tanaka, M., Matsumoto, Y., Murakami, T., Hisa, Y., Ibata, Y., The origins of catecholaminergic innervation in the rostral ventromedial medulla oblongata of the rat, 53
Tang, H.-w., see Yamamoto, H.-a., 89
Tani, H., Inaba, T., Tamada, H., Sawada, T., Mori, J., Torii, R., Increasing gonadotropin-releasing hormone release by perifused hypothalamus from early to late anestrus in the beagle bitch, 1
Thanos, S., see Moore, S., 117
Tian, J., see Guo, H.-F., 163
Timmann, D., Stelmach, G.E., Bloedel, J.R., Temporal control of the reach and grip components during a prehension task in humans, 133
Tohgi, H., Abe, T., Saheki, M., Yamazaki, K., Takahashi, S., α-Tocopherol quinone level is remarkably low in the cerebrospinal fluid of patients with sporadic amyotrophic lateral sclerosis, 5
Tokimasa, T., Simmons, M.A., Schneider, C.R., Akasu, T., Hyperpolarizing shift of the M-current activation curve after washout of muscarine in bullfrog sympathetic neurons, 97
Torii, R., see Tani, H., 1

Ueki, A., see Endoh, M., 206
Usai, C., see Marchetti, C., 77

Van Ree, J.M., see Vos, P.E., 21
Velíšek, L., Moshé, S.L., Stanton, P.K., Increased susceptibility of brain slices from carbonic anhydrase II-deficient mice to low $[Mg^{2+}]_0$-induced seizures, 143
Versaux-Botteri, C., see Dalil-Thiney, N., 159
Vincent, A., seeBeeson, D., 57
von Arx, M.-A., see Cajochen, C., 209
Vos, P.E., Steinbusch, H.W.M., Van Ree, J.M., Reinnervation after destruction of the dopaminergic system in the rat nucleus accumbens: a quantitative immunohistochemical analysis, 21

Wang, X., see Guo, H.-F., 163
Webb, B., Hutchison, A.A., Davenport, P.W., Contribution of vagal afferents to the volume-timing response to expiratory loads in neonatal lambs, 147
Wernig, A., Dorlöchter, M., Palazis, P., Differential sensitivity to Mg^{2+}- and tubocurarine-block of frog neuromuscular junctions in summer and winter, 41
Wilson, A.A., see Meyer, J.H., 25
Wirz-Justice, A., see Cajochen, C., 209
Wood, J.N., see Begbie, J.L., 183
Wu, J., Jin, G.-Z., Tetrahydroberberine suppresses dopamine-induced potassium current in acutely dissociated CA1 pyramidal neurons from rat hippocampus, 155

Yabuuchi, K., Maruta, E., Minami, M., Satoh, M., Induction of interleukin-1β mRNA in the hypothalamus following subcutaneous injections of formalin into the rat hind paws, 109
Yaksh, T.L, see Galik, J., 45
Yaksh, T.L., see Dunbar, S., 33
Yaksh, T.L., see Zhang, Y., 187
Yamaguchi, N., see Higashima, M., 101
Yamamoto, C., see Ohno-Shosaku, T., 195
Yamamoto, C., see Yoshino, M., 70
Yamamoto, H.-a., Tang, H.-w., Preventive effect of melatonin against cyanide-induced seizures and lipid peroxidation in mice, 89
Yamanaka, H., see Endoh, M., 206
Yamazaki, K., see Tohgi, H., 5
Yáñez, J., see Meissl, H., 37
Yoshino, M., Sawada, S., Yamamoto, C., Kamiya, H., A metabotropic glutamate receptor agonist DCG-IV suppresses synaptic transmission at mossy fiber pathway of the guinea pig hippocampus, 70

Zhang, Y., Malmberg, A.B., Sjölund, B., Yaksh, T.L., The effect of pituitary adenylate cyclase activating peptide (PACAP) on the nociceptive formalin test, 187
Zimmermann, M., see Gillardon, F., 113
Zoli, M., Pedrazzi, P., Agnati, L.F., Regional and cellular distribution of spermidine/spermine N^1-acetyltransferase (SSAT) mRNA in the rat central nervous system, 13
Zorec, R., see Kocmur-Bobanović, L., 121